

CLASSIC RACE TIRES

RACE Technology
MADE IN GERMANY 

Our competition tyres for classic racing applications are characterized by their outstanding performance. Genuine compounds developed for racing use convincing with grip on every race track. Optimized tyre construction offers direct feed back and outstanding stability.




- high grip level - dry and wet
- short warm up phase
- constant performance
- outstanding feedback
- high stability

				rim width	tube
2.75 - 16	46 P	TT	K 55	1.50 - 1.85	16C/D
80/80 - 16	46 J	TL	K 63	1.60 - 2.15	16B/C
90/80 - 16	52 J	TT	K 63	1.85 - 2.50	16C/D
2.75 - 17	47 P	TT	K 56	1.50 - 1.85	17C/D
2.00 - 18	26 H	TT	M 3	1.20 - 1.35	18B
2.25 - 18	34 H	TT	M 3	1.35 - 1.85	18B
2.50 - 18	45 H	TT	K 40	1.35 - 1.85	18C
2.75 - 18	42 S	TL	K 45	1.50 - 1.85	18C
3.00 - 18	47 H	TT	K 65	1.60 - 2.15	18D
3.50 - 18	56 H	TT	K 65	1.85 - 2.50	18E
90/90 - 18	51 H	TL	K 44	1.85 - 2.50	18D
100/90 - 18	56 H	TL	K 65	2.15 - 2.75	18E
110/90 - 18	61 H	TL	K 65	2.15 - 3.00	18E
120/90 - 18	65 H	TL	K 65	2.50 - 3.00	18F
110/80 - 18	60 H	TL	K 65	2.15 - 3.00	18E
130/70 - 18	63 H	TL	K 64	3.00 - 4.00	18E
3.25 - 19	54 H	TT	K 34	1.85 - 2.50	19D
3.25 - 19	54 H	TL	K 44	1.85 - 2.50	19D
3.50 - 19	57 H	TT	K 34	1.80 - 2.50	19E

All HEIDENAU competition tyres are marked with a yellow stripe on the tread pattern.

Tread patterns


M3



K34



K40




K44



K45



K55



K56



K64



K65



Application by displacement

displacement	tyre size	
	front	rear
50	2.00-18	2.25-18
125	2.50-18, 2.75-18	2.75-18, 3.00-18
250	3.00-18, 90/90-18,	3.50-18, 90/90-18, 100/90-18, 110/90-18
350	3.00-18, 90/90-18, 3.25-19, 3.50-19	90/90-18, 100/90-18, 110/90-18, 120/90-18, 110/80-18, 3.25-19, 3.50-19
500	90/90-18, 110/80-18, 3.25-19, 3.50-19	110/80-18, 130/70-18, 120/90-18, 3.25-19, 3.50-19

recommended by:



YAMAHA



Classic Racing Team